

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9043	content adj3 deliver \$3 near10 (mobile wireless (device apparatus computer ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:23
L2	841	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:23
L3	7	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) same (first adj3 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:30
L4	2	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) same ((first adj3 request \$3 ) near10 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:30
L5	30	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) and ((first adj3 request \$3 ) near10 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:31
L6	32	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) and (((first initial) adj3 request\$3 ) near10 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:31

L7	6	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) and (((first initial) adj3 request\$3 ) near10 (server host)) same ((second another ) near10 request\$3 near10 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:42
L8	0	content adj3 deliver \$3 near10 ((mobile wireless) adj3 (device apparatus computer )) and (((first initial) adj3 request\$3 ) near10 (server host)) same ((second another ) near10 request\$3 near10 (server host)) same format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:42
L9	14	content same (((first initial) adj3 request\$3 ) near10 (server host)) same ((second another ) near10 request\$3 near10 (server host)) same format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:43
L10	0	(((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host)) same stor\$3 adj4 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:46

L11	0	(((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host)) same ((device apparatus ) adj4 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:46
L12	14	(((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host)) and ((device apparatus ) adj4 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:46
L13	4	content near20 deliver\$4 and (((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host)) and ((device apparatus ) adj4 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:47
L14	5	convert\$3 near5 content near20 format near20 characteristic near10 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:53
L15	32	convert\$3 near5 content near20 format near20 characteristic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:53

L16	0	15 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:53
L17	4	15 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:53
L18	263	((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:54
L19	0	15 and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:54
L20	4967	convert\$3 near5 content near20 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:55
L21	0	19 and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:55
L22	2	18 and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:55
L23	15	((HO adj3 ALEXANDER).inv. oracle.asn.)and l1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:56

L24	5204	((HO adj3 ALEXANDER).inv. oracle.asn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:57
L25	10	((HO adj3 ALEXANDER).inv. and oracle.asn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:57
L26	0	((HO adj3 ALEXANDER).inv. and oracle.asn.) and content near20 deliver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:58
L27	161	(((((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:59
L28	6	(((((first initial) adj3 request\$3 ) near10 (server host) near20 address\$3) same ((second another ) near10 request\$3 near10 (server host))).clm. and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:59
L29	44635	((709/246) or (709/203) or (709/206) or (709/218) or (709/227) or (370/331) or (370/352) or (370/331) or (370/338) or (455/403) or (455/414) or (455/426)).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 12:01

L30	6	29 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 12:02
-----	---	-----------	---	----	----	---------------------

**9/ 30/ 09 12:05:01 PM**

**C:\ Documents and Settings\ jjeangilles\ My Documents\ EAST\ Workspaces  
\ 09905117new.wsp**